



ELECTRICAL APPLIANCES

SL Escort, For your travel



余姚市昇琳电器有限公司

YUYAO CITY SHENGLIN ELECTRICAL APPLIANCE CO., LTD



► 董伟儿 总经理

► GENERAL MANAGER DONG WEI ER

余姚市昇琳电器有限公司

YUYAO CITY SHENGLIN ELECTRICAL APPLIANCES CO., LTD

地址：浙江省余姚市泗门镇湖北村小学西路1号

ADD: No.1 Xiaoxue West Road, Hubei Village, Simen Town,

邮编：315460

Yuyao City, Zhejiang, China

手机：13780022677

POSTAL CODE:315460

邮箱：shenglin@yysldq.com

MOBILE:13780022677

网址：www.yysldq.com

E-mail:shenglin@yysldq.com



COMPANY INTRODUCTION

Yuyao Shenglin Electrical Appliances Co., Ltd.

Yuyao Shenglin Electrical Appliances Co., Ltd. is located in Ningbo, a renowned port city in China. It adjoins Beilun Port to the east, is adjacent to National Highway 329 to the south, faces Hangzhou, a national science and technology innovation center, to the west, and connects to the Hangzhou Bay Bridge to the north. It is merely a two-hour drive from Shanghai, Hangzhou and Ningbo International Airports, enjoying extremely convenient transportation.

Covering an area of more than 1000 square meters, the company is equipped with complete product testing facilities and robust technical capabilities. As an enterprise specialized in the manufacture and sales of auto parts, we uphold the philosophy of pursuing excellent quality and take "meeting customer demands" as our core objective.

Since its establishment, the company has been committed to providing customers with high-quality, innovative products as well as sincere and thoughtful services. It has gradually developed into a comprehensive enterprise integrating raw material processing, product development and manufacturing, and after-sales service support. The company strictly implements the quality management system in accordance with ISO 9001. By continuously launching products that keep pace with the times and fashion trends, we strive to meet people's increasingly upgraded and personalized living demands.





SL701

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max pressure:250PSI
- ▶ Cylinder diameter:16mm
- ▶ Cord: 10ft with cigarette lighter plug
- ▶ Air hose:40cm hose
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	45.5x35x26.5
G.W/N.W(kgs):	14/13
20'FT(pcs):	13260



SL702

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max pressure:250PSI
- ▶ Cylinder diameter:16mm
- ▶ Cord: 10ft with cigarette lighter plug
- ▶ Air hose:40cm hose
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	47x36x29.5
G.W/N.W(kgs):	14/13
20'FT(pcs):	11200



SL703

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max pressure:250PSI
- ▶ Cylinder diameter:16mm
- ▶ Cord: 10ft with cigarette lighter plug
- ▶ Air hose:45cm hose
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	47x36x29.5
G.W/N.W(kgs):	15/14
20'FT(pcs):	11200



SL704

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max pressure:250PSI
- ▶ Cylinder diameter:16mm
- ▶ Cord: 10ft with cigarette lighter plug
- ▶ Air hose:45cm hose
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	45.5x34.5x27.5
G.W/N.W(kgs):	13/12
20'FT(pcs):	13000

SL705

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max pressure:6 Bar
- ▶ Cylinder diameter:22mm
- ▶ Cord: 10ft with cigarette lighter plug
- ▶ Air hose:45cm hose
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	38.5x27.5x33
G.W/N.W(kgs):	13.5/12.5
20'FT(pcs):	16020



SL706

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max pressure:6 Bar
- ▶ Cylinder diameter:22mm
- ▶ Cord: 10ft with cigarette lighter plug
- ▶ Air hose:63cm hose
- ▶ Packing:color box

Carton Qty:	8pcs
Carton size(cm):	39x36x19.5
G.W/N.W(kgs):	12/11
20'FT(pcs):	8200

SL707

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max amperage: 18A
- ▶ Max pressure:150PSI
- ▶ Cylinder diameter:30mm
- ▶ Air flow: 35L/min
- ▶ Cord: 2.5m with cigarette lighter plug
- ▶ Air hose:1m hose
- ▶ Packing:color box+bag

Carton Qty:	10pcs
Carton size(cm):	52.5x21.5x33
G.W/N.W(kgs):	12/11
20'FT(pcs):	7520





SL708

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max amperage: 15A
- ▶ Max pressure:150PSI
- ▶ Cylinder diameter:30mm
- ▶ Air flow: 35L/min
- ▶ Cord: 2.5m with cigarette lighter plug
- ▶ Air hose:0.6m hose
- ▶ Packing:color box+bag

Carton Qty:	8pcs
Carton size(cm):	42.5x27.5x39
G.W/N.W(kgs):	12/11
20'FT(pcs):	5000



SL709

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max amperage: 18A
- ▶ Max pressure:150PSI
- ▶ Cylinder diameter:30mm
- ▶ Air flow: 35L/min
- ▶ Cord: 2.5m with cigarette lighter plug
- ▶ Air hose:0.6m hose
- ▶ Packing:color box+bag

Carton Qty:	8pcs
Carton size(cm):	42.5x27.5x39
G.W/N.W(kgs):	12/11
20'FT(pcs):	5000



SL710

- ▶ Air Compressor
- ▶ Power supply:DC12V & AC230V
- ▶ Max pressure:250PSI
- ▶ Cylinder diameter:19mm
- ▶ Cord: 10ft with cigarette lighter & 1m AC cable
- ▶ Air hose:45cm hose
- ▶ Packing:color box

Carton Qty:	10pcs
Carton size(cm):	44x42x18
G.W/N.W(kgs):	17/16
20'FT(pcs):	8420



SL711

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max amperage: 18A
- ▶ Max pressure:150PSI
- ▶ Cylinder diameter:2*30mm
- ▶ Air flow: 65L/min
- ▶ Cord: 2.5m with battery clips
- ▶ Air hose:4m PE hose
- ▶ Light:LED light
- ▶ Packing:color box+bag

Carton Qty:	4pcs
Carton size(cm):	48.5x32.5x43.5
G.W/N.W(kgs):	15/14
20'FT(pcs):	1520

SL712

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max amperage: 18A
- ▶ Max pressure:150PSI
- ▶ Cylinder diameter:2*30mm
- ▶ Air flow: 65L/min
- ▶ Cord: 2.5m with battery clips
- ▶ Air hose:4m PE hose
- ▶ Light:LED light
- ▶ Packing:color box+bag

Carton Qty:	4pcs
Carton size(cm):	50x33x51.5
G.W/N.W(kgs):	15/14
20'FT(pcs):	1320



SL713

- ▶ Air Compressor
- ▶ Power supply:DC12V & AC230V
- ▶ Max pressure:150PSI
- ▶ Cylinder diameter:22mm
- ▶ Cord:2.5m with cigarette lighter & 1m AC cable
- ▶ Air hose:45cm hose
- ▶ Light:LED light
- ▶ Packing:color box

Carton Qty:	10pcs
Carton size(cm):	48.5x22x42.5
G.W/N.W(kgs):	19/18
20'FT(pcs):	6180

SL714

- ▶ Air Compressor
- ▶ Power supply:DC 12V
- ▶ Max amperage: 45A
- ▶ Max pressure:150PSI
- ▶ Cylinder diameter:60mm
- ▶ Air flow: 120L/min
- ▶ Cord: 2m with battery clips
- ▶ Air hose:5m PA hose
- ▶ Packing:color box+bag

Carton Qty:	2pcs
Carton size(cm):	60x40x30.5
G.W/N.W(kgs):	18/17
20'FT(pcs):	766



SL101

- ▶ Half safety metal guard
- ▶ (front cover only)
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,6 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	54.5x33.5x36.5
G.W/N.W(kgs):	7/6
20'FT(pcs):	5040



SL102

- ▶ Half safety metal guard
- ▶ (front cover only)
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,8 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	52x45x46
G.W/N.W(kgs):	8/7
20'FT(pcs):	3120



SL103

- ▶ Full safety metal guard
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,6 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	54.5x33.5x36.5
G.W/N.W(kgs):	9/8
20'FT(pcs):	5040

SL104

- ▶ Full safety metal guard
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,8 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	52x45x46
G.W/N.W(kgs):	10/9
20'FT(pcs):	3120



SL105

- ▶ Half safety metal guard
- ▶ (front cover only)
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,6 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Plastic back clip
- ▶ Optional 2 speed switch
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	54.5x33.5x36.5
G.W/N.W(kgs):	8.5/7.5
20'FT(pcs):	5040



SL106

- ▶ Half safety metal guard
- ▶ (front cover only)
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,8 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Plastic back clip
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	52x45x46
G.W/N.W(kgs):	9.5/8.5
20'FT(pcs):	3120



SL107

- ▶ Full safety metal guard
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,6 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Plastic back clip
- ▶ Optional 2 speed switch
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	54.5x33.5x36.5
G.W/N.W(kgs):	8.5/7.5
20'FT(pcs):	5040



SL108

- ▶ Half safety metal guard
- ▶ (front cover only)
- ▶ Power supply:DC12V or DC24V
- ▶ Oscillating,10 inch metal guard
- ▶ 60 strips semi-seal guard car fan
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	55.5x54x56
G.W/N.W(kgs):	10/9
20'FT(pcs):	2004



SL109

- ▶ 4 inch Plastic Car Fan
- ▶ Suction cup mountig
- ▶ Power supply:DC12V
- ▶ Oscillating with on/off switch
- ▶ Cord: 1.2m with cigarette lighter plug
- ▶ Packing:color box

Carton Qty:	48pcs
Carton size(cm):	58.5x44.5x44.5
G.W/N.W(kgs):	6.5/5.5
20'FT(pcs):	11568





SL301

- ▶ Vacuum cleaner
- ▶ 12V DC cigarette lighter
- ▶ 35W-60W for choice
- ▶ Washable filter
- ▶ Design easy to use
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	51.5x31x51.5
G.W/N.W(kgs):	14/13
20'FT(pcs):	6800



SL302

- ▶ Vacuum cleaner
- ▶ 12V DC cigarette lighter.
- ▶ 90W-120W for choice.
- ▶ Ideal for the toughest wet or dry clean up jobs.
- ▶ With flexible hose/carpet tool/inflator adaptor.
- ▶ Packing:color box

Carton Qty:	12pcs
Carton size(cm):	67x43x52.5
G.W/N.W(kgs):	15.5/14.5
20'FT(pcs):	2220



SL201

- ▶ Fan Heater
- ▶ 150W PTC heating element
- ▶ With fan and heater function
- ▶ Cool & warm switch
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	44x34x30
G.W/N.W(kgs):	10/9
20'FT(pcs):	12460



SL202

- ▶ Fan Heater
- ▶ 150W PTC heating element
- ▶ With fan and heater function
- ▶ Cool & warm switch
- ▶ Packing:color box

Carton Qty:	20pcs
Carton size(cm):	41.5x38x32.5
G.W/N.W(kgs):	10.5/9.5
20'FT(pcs):	10920